

i.MX RT1050 FEATURES AND BENEFITS

CROSSOVER PROCESSING

- Highest performing ARM® Cortex®-M7 core with real-time operation delivering 3015 CoreMark®/1284 DMIPS @ 600 MHz
 - More than 250% faster than existing Cortex-M4 products
- Real-time, low latency response with the largest tightly coupled memory (TCM) at 512KB
 - 20 nanosecond interrupt latency—shortest among all ARM Cortex products
- Low dynamic power consumption enabled by DC-DC converter and efficient power gating
 - Half the run mode power of other Cortex-M7 products—as low as 110 µA/MHz


HIGH LEVEL OF INTEGRATION

- High security enabled by AES-128 cryptography, high assurance boot (HAB), TRNG and on-the-fly QSPI flash decryption
- Most comprehensive multimedia platform integrated with a Cortex-M core
 - 2-D graphics acceleration, parallel camera sensor I/F, LCD display controller up to WVGA, multichannel high-performance audio
- Connectivity peripherals enable wireless connectivity
 - Wi-Fi®, Bluetooth®, BLE, ZigBee®, Thread™ and other options

EASY TO USE

- Fast development with popular tools
 - MCUXpresso, IAR, ARM Keil®, FreeRTOS™, SDK, ARM mbed™ and low cost EVK compatible with Arduino™ hardware shields
- Single voltage input simplifies power circuit design
- Exceptional scalability and compatibility to thousands of Kinetis, LPC and i.MX products

LOW BOM COST

- Highest performing ARM® Lowest-priced Cortex-M7 solution in the market at 
- Fully integrated PMIC with a DC-DC converter, eliminating need for external power supply
- Low cost 10x10 BGA package with .65mm pitch enabling 4 layer PCB design