






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	2014/07/27	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2014/08/07			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2014/08/06						
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10			7HP + 24S + 7HP RA STB HEADER		dwg no 10106124-E006001	rev A		
ASME Y14.5	angular	0° ±2°	www.fci.com	cat. no.	Product - Customer Drw		sheet 1 of 3			

PRODUCT NO.	ROWS	HIGH POWER							SIGNAL						HIGH POWER						E2		
		E1	P1	P2	P3	P4	P5	P6	P7	1	2	3	4	5	6	P8	P9	P10	P11	P12		P13	P14
10106124-E006001LF	DCBA	HA	H1	H1	H1	H1	H1	H1	H	H	H	H	H	H	H1	H1	H1	H1	H1	H1	H1	H1	HA



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
F	MLBF SIGNAL CONTACT, ROW B (3.43)
G	MLBF SIGNAL CONTACT, ROW C (3.43)
H	MLBF SIGNAL CONTACT, ROW D (3.43)
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN

dr	Rainbow Zhan	2014/07/27	projection	MM	size	A3	scale	3:2	
eng	Rainbow Zhan	2014/08/07			ecn no		-		
chr	Li-He	2014/08/06			rel level		Released		
appr	Pei-Ming Zheng	2014/08/07	product family		PwrBlade+		-		
			7HP + 24S + 7HP			dwg no		10106124-E006001	
www.fci.com			RA STB HEADER			rev		A	
cat. no.				Product - Customer Drw				sheet 2 of 3	




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2014/07/27	projection 	MM 	size	A3	scale	3:2
eng	Rainbow Zhan	2014/08/07			ecn no	-		
chr	Li-He	2014/08/06			rel level	Released		
appr	Pei-Ming Zheng	2014/08/07	product family	PwrBlade+				
		title 7HP + 24S + 7HP RA STB HEADER			dwg no 10106124-E006001	rev A		
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			